cristie software

The preferred choice
for **disaster recovery**
and **data backup**

TBMR

Cristie Bare Machine Recovery

User Guide

For Linux

August 2012

Version 6.4.1

Cristie Software Ltd.
New Mill
Chestnut Lane
Stroud GL5 3EH
United Kingdom
Tel:+44(0)1453 847000
Fax:+44(0)1453 847001
cbmr@cristie.com

Cristie Data Products GmbH
Nordring 53-55

63843 Niedernberg
Germany
Tel: +49 (0) 60 28/97 95-0
Fax: +49 (0) 60 28/97 95 7-99
cbmr@cristie.de

Cristie Nordic AB
Gamla Värmdövägen 4

SE-131 37 Nacka
Sweden
Tel:+46(0)8 718 43 30
Fax:+46(0)8 718 53 40
cbmr@cristie.se

Copyright © 2003-2012 Cristie Software Ltd.
All rights reserved.

The software contains proprietary information of Cristie Software Ltd.; it is provided under a license agreement containing restrictions on use and disclosure and is also protected by copyright law. Reverse engineering of the software is prohibited.

Due to continued product development this information may change without notice. The information and intellectual property contained herein is confidential between Cristie Software Ltd. and the client and remains the exclusive property of Cristie Software Ltd. If you find any problems in the documentation, please report them to us in writing. Cristie Software Ltd. does not warrant that this document is error-free.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without the prior written permission of Cristie Software Ltd.

IBM Tivoli Storage Manager (TSM), AIX and TIVOLI are trademarks of the IBM Corporation.

NetWorker is a trademark of the EMC Corporation.

Cristie Management Console (CMC), PC-BaX, UBax, Cristie Storage Manager (CSM), SDB, NBMR (Bare Machine Recovery for NetWorker), TBMR (Bare Machine Recovery for TSM), CBMR (Cristie Bare Machine Recovery), LBMR (Liveclone Bare Machine Recovery), CRISP (Cristie Recovery ISO Producer), CRD (Cristie Recovery Detector) are all trademarks of Cristie Software Ltd.

Cristie Software Ltd
New Mill
Chestnut Lane
Stroud
GL5 3EH
UK

Tel: +44 (0) 1453 847000
Email: cbmr@cristie.com
Website: http://www.cristie.com

Contents

1 Introduction 4
1.1 Limitations 4
1.2 Further Information 4
2 System Requirements 5
3 Using TBMR For Disaster Recovery 6
4 Tivoli Storage Manager Client Backup 7
4.1 Setup TSM BA Client 7
4.2 Saving the System Configuration 7
4.3 TBMRCFG 8
4.4 Housekeeping 8
5 Performing a Recovery 9
6 Post Recovery Options 19
6.1 Copy Log Files 19
6.2 View Log Files 20
6.3 Post Recovery Network Changes 20
7 Cristie Technical Support 22

Copyright © 2003-2012 Cristie Software Ltd.

1 Introduction

Cristie Bare Machine Recovery for TSM (TBMR) provides disaster recovery capability for Tivoli Storage Manager for Linux.

It is possible to recover the original system to the same or dissimilar hardware. To protect a system, backups can be taken periodically, along with configuration information, which includes details of hard disks, network interfaces, etc.

This Guide shows the user how to save system configuration information, backup and recover a Linux machine using TBMR. More detailed information is available from `man` pages for the TBMR components. The `man` pages are available after installation of TBMR.

This guide is for TBMR for Linux version 6.4.1 only.

Note: TBMR can only be used in conjunction with Tivoli Storage Manager (TSM).

This guide describes how to:

- Save Configuration data using `tbmrcfg`
- Configure and run your TSM Client backup
- Perform a Disaster Recovery

1.1 Limitations

There are limits to what this version of TBMR for Linux will handle. It will NOT handle:

- Platforms other than Intel or PPC
- Multi-boot operating systems

1.2 Further Information

Further information and advice on using TBMR may be found in the **Cristie Knowledge Base** at:

http://support.cristie.com/cgi-bin/kb.cgi

Copyright © 2003-2012 Cristie Software Ltd.

2 System Requirements

TBMR for Linux can be installed on a x86, x86_64 or PPC Linux machine.

TBMR requires that TSM BA client version 5.5 or later is already installed.

A minimum memory of 1GB RAM is required for booting the recovery environment and running a recovery.

TBMR Version 6.4.1 supports the following Linux platforms:

- RedHat Enterprise 4.x to 6.2.
- SUSE 10.x to SUSE 11 SP1.

At the time of release the TSM Client versions supported are 5.5.0.6 to 6.3.0.0 inclusive.

At the time of release the TSM Server versions supported are 5.5.x.x to 6.3.0.0 inclusive.

Please refer to the Cristie website for the latest client/server versions supported.

TBMR installation is currently available in English only.

Before TBMR can be used it must also be correctly licensed. Cristie provides a 30 day trial license with the product.

Copyright © 2003-2012 Cristie Software Ltd.

3 Using TBMR For Disaster Recovery

This section describes the steps involved in using Tivoli Storage Manager in conjunction with TBMR for disaster recovery.

This description assumes that the Tivoli Storage Manager client software has already been installed correctly.

To ensure your system is protected observe the following steps:

1. Install TBMR on the system you wish to protect.

2. Use the `tbmrcfg` program to capture and store the configuration of the system.

3. Use the TSM BA Client to backup the system to your TSM server.

Copyright © 2003-2012 Cristie Software Ltd.

4 Tivoli Storage Manager Client Backup

This section details how to setup a Backup Location.

Please see the following topics:

Setup TSM BA Client

Saving the System Configuration

TBMRCFG

4.1 Setup TSM BA Client

If the backup is to be written using TSM BA client, the BA client `dsm.sys` file should be configured.

The default location for TSM BA client option file is:

```
/opt/tivoli/tsm/client/ba/bin/dsm.sys
```

This file should be edited to point to the TSM server to be used:

```
SErvername server_a
       COMMmethod           TCPip
       TCPPort              1500
       TCPServeraddress     10.2.1.20
```

The TSM BA client should be configured to backup all files which are required for OS recovery. By default, the `/dev` directory is **not** backed up. To make sure this is backed up, the following line should be added to the `dsm.sys` file:

```
virtualmountpoint /dev
```

This will create a separate filespace for `/dev` which will be restored by the recovery environment.

4.2 Saving the System Configuration

Configuration is now always saved to **/TBMRCFG**. It now doesn't and can't be written elsewhere - It is always stored in the backup only.

When saving configuration information to the backup location, this must be done **before** the backup is run.

To save the configuration information for each machine, the supplied command line program `tbmrcfg` is used. It is recommended that this is run prior to running each backup to ensure the configuration is up to date.

Copyright © 2003-2012 Cristie Software Ltd.

4.3 TBMRCFG

To use the command line configuration saving program, type `tbmrcfg` followed by the required options.

The available options to `tbmrcfg` can be shown using:

```
tbmrcfg --help
```

Some examples are shown here:

To save configuration information from a machine that boots using *grub* installed on `/dev/sda` to the backup location, use:

```
tbmrcfg -b grub -d /dev/sda
```

To save configuration information from a machine that boots using *grub* installed on `/dev/hda`, use:

```
tbmrcfg -b grub -d /dev/hda
```

There is a full manual page for *tbmrcfg* available by typing `man tbmrcfg`.

4.4 Housekeeping

In order to ensure that you can recover to the latest version of the operating system that was installed on your Linux machine, you must ensure that a TSM incremental backup is performed every time the operating system files change.

This is not always possible, so **Cristie** recommend that the TSM incremental backup be performed regularly. However, you should choose a period which reflects the rate of change in your own organisation. Although the configuration data will change less frequently than the operating system, it is a wise precaution to update this regularly. This can be achieved by creating a cron job for your schedule or using the TSM Scheduler.

Copyright © 2003-2012 Cristie Software Ltd.

5 Performing a Recovery

When a machine has crashed, it can be recovered using the TBMR bootable CD-ROM. This is the same CD from which you installed the software. You should ensure your machine's BIOS is set up to boot from CD-ROM.

The process encompasses the following stages:

- **Boot** into Recovery environment and configure as required
- **Read** Configuration Data from your backup
- **Restore** Files from your backup
- **Load** additional drivers (if necessary)
- **Reboot** into recovered OS

Boot the machine using the TBMR bootable CD ROM or ISO. You will be presented with the screen below:


Cristie Recovery Console V 6.4.1
X-Windows based Linux recovery environment
Text based Linux recovery environment
Boot from local Hard disk
Show Licence
Automatic boot in 20 seconds...
Normal recovery environment for Linux machines

Cristie recommend that you choose the graphical X-Windows recovery environment mode which loads the **Cristie Recovery Console** (CRC).

Copyright © 2003-2012 Cristie Software Ltd.

You will be presented with the **Licence** screen. Click I Accept if you agree with the TBMR licencing terms.


Cristie Recovery Console
Cristie Software Limited - Licence Agreement
PLEASE READ THE FOLLOWING LICENCE AGREEMENT BEFORE INSTALLING OR USING THIS SOFTWARE. CONTINUING WITH THIS PROCESS INDICATES THAT YOU HAVE READ AND ACCEPTED ALL THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE TO THE TERMS IN THE AGREEMENT, PROMPTLY RETURN THIS PRODUCT FOR A REFUND.
This software is a proprietary product of Cristie Software Limited and is protected by copyright law. Any confidential information inherent within the software belongs to Cristie Software Limited who retain title to the ownership of the program. You are licensed to use the software on the following terms and conditions. This licence is non-exclusive and Cristie is free to license other parties on terms it deems fit.
1. This software may only be used on a single computer unless a multiple site licence has been agreed. The software may not be copied to more than one computer or to any other device, except for the purposes of performing a security backup.
2. You may not rent or lease the software or otherwise transfer or assign the right to use the software save with the prior written consent of Cristie Software Limited.
I Decline
I Accept

Copyright © 2003-2012 Cristie Software Ltd.

You will then see the **Recovery Console** main menu:


Cristie Recovery Console (TBMR 6.1.1)
cristie software
Automatic recovery wizard
Manual recovery wizard
Tools
Show log files
Copy log files to a remote location
Reboot
Sales: +44 1453 847000 | email: sales@cristie.com | © Cristie Software Ltd 2012

Cristie recommends using the **Auto Recovery Wizard** option from the **Recovery Console** main menu.

Copyright © 2003-2012 Cristie Software Ltd.

This will then display the **Setup TBMR Location** dialogue box, where you can specify the TSM Server information.



Enter the Hostname and IP address of the TSM server that your backup is stored on. (Contact your TSM administrator if you are unsure of any of the settings)
Also enter the name of the node where the backup was made to along with the corresponding password.

Copyright © 2003-2012 Cristie Software Ltd.

If required, it is possible to view the nodes on the server by clicking the Browse button.

(Note: You need to enter the administrative details for the TSM Server into the Node Name and Password fields to achieve this)

Select the required node or Close to return to the **Setup TBMR Location** dialogue.

Copyright © 2003-2012 Cristie Software Ltd.

If it is required to configure the network settings, click the Network Settings button. Enter your desired network settings.



Select OK to save your changes.
The Start Network screen will then display the network changes being implemented.



Click Close to return to the **Setup TBMR Location Wizard**. Select Next > to proceed.

Next the **Restore Configuration** dialogue will be shown.

Typically, nothing needs to be entered under DSMC options. If you do need to enter any parameters, it will probably be the standard TSM options.Any parameters enetered will be passed to DSMC. Please consult your TSM User Manual for details.

Note: for a list of these parameters and how to use them you should consult the relevant TSM User Guide.

Copyright © 2003-2012 Cristie Software Ltd.

Click Next> to continue.

This will then restore the configuration from the backup.


Copy Configuration From Backup
IBM Tivoli Storage Manager
Command Line Backup-Archive Client Interface
Client Version 6, Release 3, Level 0.0
Client date/time: 09/03/12 08:49:09
(c) Copyright by IBM Corporation and other(s) 1990, 2011. All Rights
Node Name: TBMR
Session established with server SD-TSM-SERVER2_551: Windows
Server Version 5, Release 5, Level 1.0
Server date/time: 09/03/12 09:49:14 Last access: 02/17/12 14:
Restore function invoked.
Restoring 23,201 /TBMRCFG/disrec.ini --> /usr/local/disrec.
Total number of objects restored: 1
Total number of objects failed: 0
Total number of bytes transferred: 22.75 KB
Data transfer time: 0.00 sec
Network data transfer rate: 50,676.85 KB/sec
Aggregate data transfer rate: 7.31 KB/sec
Elapsed processing time: 00:00:03
Abort
< Back
Next >
Cancel

Copyright © 2003-2012 Cristie Software Ltd.

Click Next> to continue to the **Start Recovery** phase.



If you are **not** recovering to dissimilar hardware, you must **un-check** the box for **Dissimilar Hardware Support**. Not doing so can cause problems when restoring to similar hardware.

Ensure that you un-tick the SELinux Relabel option, to ensure that your original SELinux settings are maintained. Only leave this box ticked, if you know that your SELinux settings need to be reset. If you wish, you may customise your disk layout by clicking on the **Recovery Options** button.


Recovery Options
Map Disks
Clear
The original and new disks are shown below. If required, drag a new disk to a different row to customise the proposed layout. Dragging a new disk onto a row which already has a new disk will swap those entries.
Recover
Original disk
New disk
/dev/sda 20GB
/dev/sda 20GB
Volume Groups
vg_centos6x86
Filesystems
/ (ext4)
/boot (ext4)
OK
Cancel

When you are satisfied that all options are correct, click OK to confirm and return to the **Start Recovery** dialogue.

Copyright © 2003-2012 Cristie Software Ltd.

Finally select Next> to start the recovery, which will begin with a dialog like this:



Copyright © 2003-2012 Cristie Software Ltd.

The completion of the recovery is signified with a pop-up box like this:


Recovery Status
1984 /tmp/initramfs.KAXD6E/lib/i686
2500 /tmp/initramfs.KAXD6E/sbin
2816 /tmp/initramfs.KAXD6E/lib/kbd
2840 /tmp/initramfs.KAXD6E/lib/firmware
Recovery finished, remember to copy log files
OK
I: -rw-rw-rw-. 1 root root 14704455 Sep 3 10:16 /boot/initrd-2.6.3
Editing /mnt/slash/boot/grub/grub.conf
sh: ./lib64/ld-linux-x86-64.so.2: No such file or directory
Installation finished. No error reported.
This is the contents of the device map /mnt/slash/boot/grub/device
Check if this is correct or not. If any of the lines is incorrect,
fix it and re-run the script `grub-install'.
this device map was generated by anaconda
(hd0) /dev/sda
/mnt/slash/boot unmounted
Abort
Close

Cristie recommends that the log files are always saved. If the machine fails to boot after the restore Cristie Support will require copies of the log files to diagnose any problems. Details on how to save log files are described in the section Copy Log Files.

Note: if you are recovering to dissimilar hardware: TBMR will find the required module(s) automatically. Normally this will happen with no further user intervention.

Finally select **Reboot** from the Main Menu to boot the restored machine, if post recovery options are not required.

Copyright © 2003-2012 Cristie Software Ltd.

6 Post Recovery Options

After performing a recovery, it is possible to undertake the following actions:

- Copy Log Files (Cristie recommends that this action is always undertaken after a recovery)
- View Log Files
- Re-configure the recovered machines network settings

6.1 Copy Log Files

Select the icon from the **Cristie Recovery Console** main menu.

Click Browse to select a location to copy the log files to.



Here you will have to option to mount a network drive.



Ensure this is a location which can be easily accessed in case there is a need to email the log files to Cristie for support purposes.

Note: log files are essential if you require support from Cristie. They detail exactly what has happened during the recovery on your system. Without them, it is very difficult for Cristie to offer meaningful support.

Copyright © 2003-2012 Cristie Software Ltd.

6.2 View Log Files

To view log files, select the icon from the Main Menu. This will display the list of logfiles:

127.0.0.1 - View Logfiles - Mozilla Firefox
Click on a file to view its contents.
Name Date Time Size
recovery.log 13 Feb 2012 15:02:30 7097398
Close

Click on the log you wish to view. Check the summary information at the bottom of the recovery status report for any errors.

Click Close to finish.

6.3 Post Recovery Network Changes

If you wish to change the Network Settings in advance of rebooting, select **Tools** from the Main Menu, then **Post Recovery Changes**:



Copyright © 2003-2012 Cristie Software Ltd.

Select the required Network Configuration tool.

Use the selected Network Configuration tool, to enter the required settings or hostname for the recovered system and save your changes.

Note: Select the Network editor that was used on the original system to configure the Network interfaces..

Click Close to return to the **Cristie Recovery Console** main menu.

You should now restart the recovered machine by clicking on the **Cristie Recovery Console** menu.

Copyright © 2003-2012 Cristie Software Ltd.

7 Cristie Technical Support

If you have any queries or problems concerning your Cristie Bare Machine Recovery product, please contact **Cristie Technical Support**. To assist us in helping with your enquiry, make sure you have the following information available for the person dealing with your enquiry:

- TBMR Version Number
- Installed OS type and version
- Any error message information (if appropriate)
- Description of when the error occurs
- Log Files

Contact Numbers - Cristie Software (UK) Limited

Technical Support +44 (0) 1453 847 009

Toll-Free US Number 1-866-TEC-CBMR (1-866-832-2267)

Sales Enquiries +44 (0) 1453 847 000

Sales Fax +44 (0) 1453 847 001

Email cbmr@cristie.com

Web www.cristie.com

Support Hours

05:00 to 17:00 Eastern Standard Time (EST) Monday to Friday

Out-of-Hours support available to customers with a valid Support Agreement - Severity 1 issues* only

UK Bank Holidays** classed as Out-of-Hours - Severity 1 issues only.

*Severity 1 issues are defined as: a production server failure, cannot perform recovery or actual loss of data occurring.

**For details on dates of UK Bank Holidays, please see www.cristie.com/support/

Cristie Software Limited are continually expanding their product range in line with the latest technologies. Please contact the **Cristie Sales Office** for the latest product range. Should you have specific requirements for data storage and backup devices, then Cristie's product specialists can provide expert advice for a solution to suit your needs.

Copyright © 2003-2012 Cristie Software Ltd.